# **ACTIVITY-BASED**

## RELEVANT TO ACCA QUALIFICATION PAPER F5

Conventional costing distinguishes between variable and fixed costs. Typically, it is assumed that variable costs vary with the number of units of output (and that these costs are proportional to the output level) whereas fixed costs do not vary with output. This is often an over-simplification of how costs actually behave. For example, variable costs per unit often increase at high levels of production where overtime premiums might have to be paid or when material becomes scarce. Fixed costs are usually fixed only over certain ranges of activity, often stepping up as additional manufacturing resources are employed to allow high volumes to be produced.

Variable costs per unit can at least be measured, and the sum of the variable costs per unit is the marginal cost per unit. These are the extra costs caused when one more unit is produced. However, there has always been a problem dealing with fixed production costs such as factory rent, heating, supervision and so on. Making a unit does not cause more fixed costs, yet production cannot take place without these costs being incurred. To say that the cost of producing a unit consists of marginal costs only will understate the true cost of production and this can lead to problems. For example, if the selling price is based on a mark-up on cost, then the company needs to make sure that all production costs are covered by the selling price. Additionally, focusing exclusively on marginal costs may cause companies to overlook important savings that might result from better controlled fixed costs.

N STEPPIN  The conventional approach to dealing with fixed overhead production costs is to assume that the various cost types can be lumped together and a single overhead absorption rate derived. The absorption rate is usually presented in terms of overhead cost per labour hour, or cost per machine hour. This approach is likely to be an over-simplification, but it has the merit of being relatively quick and easy.

#### EXAMPLE 1

See **Table 1** opposite.

The budgeted labour hours must be 112,000 hours. This is derived from the budgeted outputs of 20,000 ordinary units which each take five hours (100,000 hours) to produce, and 2,000 deluxe units which each take six hours (12,000 hours).

Therefore, the fixed overhead absorption rate per labour hour is \$224,000/112,000 = \$2/hour.

The costing of the two products can be continued by adding in fixed overhead costs to obtain the total absorption cost for each of the products.

See Table 2 opposite.

For future reference, note that the total costs accounted for (if production goes according to plan) will be  $= 20,000 \times 85 + 2,000 \times 102 = \$1,904,000$ .

The conventional approach outlined above is satisfactory if the following conditions apply:

- 1 Fixed costs are relatively immaterial compared to material and labour costs. This is the case in manufacturing environments which do not rely on sophisticated and expensive facilities and machinery.
- 2 Most fixed costs accrue with time.
- 3 There are long production runs of identical products with little customisation.

Studying Paper F5?
Performance objectives 12, 13 and 14 are linked

## COSTING

Units produced 20,000 2,000 Costs per unit: \$ \$ 10 12 Material 5 hours at \$12/hour 60 Lahour 6 hours at \$12/hour 72 5 Variable overhead 5 hours at \$1/hour 6 hours at \$1/hour 6 75 Marginal costs 90 Budgeted fixed production overheads are \$224,000

TABLE 2, EXAMPLE 1				
Budget Units produced		Ordinary units 20,000		Deluxe units 2,000
Marginal costs Fixed overheads Total absorption	5 hours at \$2/hour	\$ 75 <u>10</u>	6 hours at \$2/hour	\$ 90 12
cost/unit		<u>85</u>		<u>102</u>

However, much modern manufacturing relies on highly automated, expensive manufacturing plants – so much so that some companies do not separately identify the cost of labour because there is so little used. Instead, factory labour is simply regarded as a fixed overhead and added in to the fixed costs of running the factory, its machinery, and the sophisticated information technology system which coordinates production.

Additionally, many companies rely on customisation of products to differentiate themselves and to enable higher margins to be made. Dell, for example, a PC manufacturer, has a website which lets customers specify their own PC in terms of memory size, capacity, processor speed etc. That information is then fed into their automated production system and the specified computer is built, more or less automatically.

Instead of offering customers the ability to specify products, many companies offer an extensive range of products, hoping that one member of the range will match the requirements of a particular market segment. In **Example 1**, the company offers two products: ordinary and deluxe. The company knows that demand for the deluxe range will be low, but hopes that the price premium it can charge will still allow it to make a good profit, even on a low volume item. However, the deluxe product could consume resources which are not properly reflected by the time it takes to make those units

These developments in manufacturing and marketing mean that the conventional way of treating fixed overheads might not be good enough. Companies need to know the causes of overheads, and need to realise that many of their 'fixed costs' might not be fixed at all. They need to try to assign costs to products or services on the basis of the resources they consume.

#### **EXAMPLE 2**

An analysis of the fixed overheads of \$224,000 shows that they consist of:

90.000
92,000
42,000
224,000

Ordinary units are produced in long production runs, with each batch consisting of 2,000 units.

Deluxe units are produced in short production runs, with each batch consisting of 100 units.

Each ordinary unit consists of 20 components, each deluxe unit of 30 components.


What we want to do is to get a more accurate estimate of what each unit costs to produce, and to do this we have to examine what activities are necessary to produce each unit, because activities usually have a cost attached. This is the basis of activity-based costing (ABC). The old approach of simply pretending that fixed costs are incurred because of the passage of time, and that they can therefore be accounted for on the basis of labour (or machine) time spent on each unit, is no longer good enough. Diverse, flexible manufacturing demands a more accurate approach to costing.

The ABC process is as follows:

- 1 Identify a distinct 'fixed' overhead cost.
- 2 Identify the activity that causes that cost. In ABC terminology, that activity is the 'cost driver', but it might be better to think of it as the 'cost causer'.
- 3 Work out the cost incurred each time the activity occurs.
- 4 Determine how many units are made for each incidence of the cost causer. This is likely to vary for each type of unit.
- 5 Work out the cost that can be traced into each unit produced.

See Figure 1 below.

#### FIGURE 1: THE ABC PROCESS



#### XAMPLE 3

Applying these steps to the fixed cost breakdown shown in **Example 2** results in the following analysis:

#### Batch set-up costs

- 1 Cost of set-ups = \$90,000
- 2 Cost driver (or cost causer) = each batch
  set-up (presumably)
- 3 The number of set-ups are:

For ordinary units For deluxe units Total set-up occasions	$20,000/2,000 = 10$ $2,000/100 = \frac{20}{30}$
Cost per set-up	90,000/30 = \$3,000

- 4 Each set-up produces 2,000 ordinary units Each set-up produces 100 deluxe units
- 5 Ordinary units: \$3,000/2,000 = \$1.50/unit Deluxe units: \$3,000/100 = \$30/unit

### Material handling costs

- 1 Cost of material handling
- 2 Cost driver will be number of components handled (presumably)
- 3 The number of material handling events for the year = 20 x 20,000 + 30 x 2,000 = 460,000 (from the information given above)

Cost per material handling event = \$92,000/460,000 = \$0.20

- 4 Each ordinary unit takes 20 items of material Each deluxe unit takes 30 items of material
- 5 Each ordinary unit will cost \$0.2 x 20 = \$4/unit Each deluxe unit will cost \$0.2 x 30 = \$6/unit

Other fixed overheads will have to be absorbed on a labour hour rate because there is no information provided that would allow a better approach:

42,000/112,000 = 0.375/labour hour

The ABC approach to costing therefore results in the figures shown in **Table 3** below. Check: total costs accounted for if all goes according to budget =  $20,000 \times 82.375 + 128.25 \times 2,000 = $1,904,000$ , as before.

TABLE 3, EXAMPLE 3				
Budget Units produced		Ordinary units 20,000		Deluxe units 2,000
		\$		\$
Marginal costs (as before) Fixed overheads:		75.00		90.00
Set-up Material handling Other Total absorption cost/unit	5 hours at 0.375	1.50 4.00 1.875	6 hours at 0.375	30.00 6.00 2.25
		82.375		128.25

#### COMPARING THE APPROACHES

Total absorption cost/unit – conventional approach Total absorption cost/unit – ABC approach

e principle that large cost savings

102.00

128.25

85.000

82.375

You will see that the ABC approach substantially increases the cost of making a deluxe unit. This is primarily because the deluxe units are made in small batches. Each batch causes an expensive set-up, but that cost is then spread over all the units produced in that batch – whether few (deluxe) or many (ordinary). It can only be right that the effort and cost incurred in producing small batches is reflected in the cost per unit produced. There would, for example, be little point in producing deluxe units at all if their higher selling price did not justify the higher costs incurred.

In addition to estimating more accurately the true cost of production, ABC will also give a better indication of where cost savings can be made. Remember, the title of Paper F5 is *Performance Management*, implying that accountants should be proactive in improving performance rather than passively measuring costs. For example, it's clear that a substantial part of the cost of producing deluxe units is set-up costs (almost 25% of the deluxe units' total costs).

Working on the principle that large cost savings are likely to be found in large cost elements, management's attention will start to focus on how this cost could be reduced.

For example, is there any reason why deluxe units have to be produced in batches of only 100? A batch size of 200 units would dramatically reduce those set-up costs.

The traditional approach to fixed overhead absorption has the merit of being simple to calculate and apply. However, simplicity does not justify the production and use of information that might be wrong or misleading.

ABC undoubtedly requires an organisation to spend time and effort investigating more fully what causes it to incur costs, and then to use that detailed information for costing purposes. But understanding the drivers of costs must be an essential part of good performance management.

Ken Garrett is a freelance writer and lecturer

 $\overline{\bigcirc}$ й ш